Washington State HIV/AIDS Surveillance Report - 03/31/2004 Washington State Department of Health

Table 1. WASHINGTON STATE HIV1 and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING

	т	OTAL CASES	S (& CASE F	ATALITY RA	TE²)	DEATHS O	CCURRING	CASES PRESUMED LIVING				
		DIAGNOS	ED DURING	INTERVAL ³		DURING II	NTERVAL⁴	DIAGNOSED DURING INTERVAL3				
	Н	IV ¹	А	IDS	HIV/AIDS	HIV^1	AIDS	HIV ¹	AIDS	HIV/AIDS		
	No.	(%)	No.	(%)	Total	No. No.		No.	No.	Total		
1982	2	(0%)	1	(100%)	3	0	0	2	0	2		
1983	6	(17%)	20	(100%)	26	0	7	5	0	5		
1984	13	(0%)	79	(97%)	92	0	31	13	2	15		
1985	68	(7%)	132	(97%)	200	0	81	63	4	67		
1986	64	(11%)	250	(98%)	314	0	128	57	6	63		
1987	74	(11%)	371	(95%)	445	2	187	66	17	83		
1988	84	(12%)	497	(93%)	581	6	240	74	34	108		
1989	125	(10%)	629	(91%)	754	8	311	112	58	170		
1990	141	(11%)	759	(89%)	900	6	378	125	83	208		
1991	154	(7%)	856	(86%)	1,010	4	477	143	123	266		
1992	146	(8%)	924	(76%)	1,070	7	530	135	226	361		
1993	130	(4%)	998	(65%)	1,128	12	644	125	346	471		
1994	175	(3%)	893	(52%)	1,068	4	683	170	426	596		
1995	186	(2%)	791	(34%)	977	5	677	182	520	702		
1996	222	(3%)	717	(24%)	939	3	477	216	548	764		
1997	227	(5%)	534	(17%)	761	6	221	216	442	658		
1998	220	(2%)	412	(20%)	632	3	154	215	331	546		
1999	288	(2%)	374	(19%)	662	4	140	283	303	586		
2000	356	(1%)	452	(17%)	808	27	160	351	376	727		
2001	322	(1%)	414	(11%)	736	18	147	320	367	687		
2002	320	(1%)	436	(7%)	756	9	124	317	405	722		
2003 ⁵	335	(0%)	424	(4%)	759	10	142	334	405	739		
2004 YTD ⁵	35	(0%)	54	(4%)	89	0	4	35	52	87		
TOTAL	3,693	(4%)	11,017	(54%)	14,710	134	5,943	3,559	5,074	8,633		

Table 2. WASHINGTON STATE HIV1 AND AIDS CASES, GENDER BY AGE AT DIAGNOSIS

			F	HIV 1		AIDS								
	Male		Female		Total		Male		Fen	nale	Т	otal		
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)		
Under 13	17	(0%)	20	(1%)	37	(1%)	15	(0%)	17	(0%)	32	(0%)		
13-19	58	(2%)	38	(1%)	96	(3%)	30	(0%)	11	(0%)	41	(0%)		
20-29	1,035	(28%)	201	(5%)	1,236	(33%)	1,641	(15%)	222	(2%)	1,863	(17%)		
30-39	1,328	(36%)	168	(5%)	1,496	(41%)	4,735	(43%)	377	(3%)	5,112	(46%)		
40-49	569	(15%)	87	(2%)	656	(18%)	2,651	(24%)	206	(2%)	2,857	(26%)		
50-59	129	(3%)	20	(1%)	149	(4%)	767	(7%)	78	(1%)	845	(8%)		
60+	18	(0%)	5	(0%)	23	(1%)	237	(2%)	30	(0%)	267	(2%)		
TOTAL	3.154	(85%)	539	(15%)	3.693	(100%)	10.076	(91%)	941	(9%)	11.017	(100%)		

¹ Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

² Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.

³ Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

⁴ Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.

⁵ Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

Washington State HIV/AIDS Surveillance Report - 03/31/2004 Washington State Department of Health

Table 3. WASHINGTON STATE HIV1 CASES, RACE/ETHNICITY10 AND EXPOSURE CATEGORY

		Adult/Ad	dolescent		Ped	<u>diatric</u>	<u>Total</u>			
	Male	(%)	Female	(%)	No.	(%)	No.	(%)		
Race/Ethnicity ¹⁰										
White, not Hispanic	2426	(77%)	270	(52%)	13	(35%)	2709	(73%)		
Black, not Hispanic	344	(11%)	158	(30%)	14	(38%)	516	(14%)		
Hispanic (All Races)	229	(7%)	45	(9%)	6	(16%)	280	(8%)		
Asian/Pacific Islander	3	(0%)	4	(1%)	0	(0%)	7	(0%)		
Asian	67	(2%)	9	(2%)	4	(11%)	80	(2%)		
Hawaiian/Pacific Islander	5	(0%)	1	(0%)	0	(0%)	6	(0%)		
Native American/Alaskan	35	(1%)	25	(5%)	0	(0%)	60	(2%)		
Multi-race	6	(0%)	1	(0%)	0	(0%)	7	(0%)		
Unknown	22	(1%)	6	(1%)	0	(0%)	28	(1%)		
Total	3137	(100%)	519	(100%)	37	(100%)	3693	(100%)		
Exposure Category										
Male/male sex (MSM)	2306	(74%)	N/A	()	0	(0%)	2306	(62%)		
Injecting Drug Use (IDU)	230	`(7%)	136	(26%)	0	(0%)	366	(10%)		
MSM and IDU	312	(10%)	N/A	`()	0	(0%)	312	(8%)		
Transfusion/Transplant	6	(0%)	8	(2%)	0	(0%)	14	(0%)		
Hemophilia .	12	(0%)	1	(0%)	1	(3%)	14	(0%)		
Heterosexual Contact ⁶	105	(3%)	262	(50%)	0	(0%)	367	(10%)		
Mother at Risk for HIV	0	(0%)	0	(0%)	34	(92%)	34	(1%)		
No Identified Risk ⁷ /Other	166	(5%)	112	(22%)	2	(5%)	280	(8%)		
Total	3137	(100%)	519	(100%)	37	(100%)	3693	(100%)		

Table 4. WASHINGTON STATE AIDS CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY

		Adult/Ad	dolescent		Ped	<u>diatric</u>	<u>Total</u>			
	Male	(%)	Female	(%)	No.	(%)	No.	(%)		
Race/Ethnicity ¹⁰										
White, not Hispanic	8044	(80%)	528	(57%)	15	(47%)	8587	(78%)		
Black, not Hispanic	948	(9%)	237	(26%)	10	(31%)	1195	(11%)		
Hispanic (All Races)	717	(7%)	79	(9%)	4	(13%)	800	(7%)		
Asian/Pacific Islander	34	(0%)	12	(1%)	1	(3%)	47	(0%)		
Asian	107	(1%)	15	(2%)	0	(0%)	122	(1%)		
Hawaiian/Pacific Islander	20	(0%)	5	(1%)	0	(0%)	25	(0%)		
Native American/Alaskan	159	(2%)	42	(5%)	1	(3%)	202	(2%)		
Multi-race	21	(0%)	3	(0%)	1	(3%)	25	(0%)		
Unknown	11	(0%)	3	(0%)	0	(0%)	14	(0%)		
Total	10061	(100%)	924	(100%)	32	(100%)	11017	(100%)		
Exposure Category										
Male/male sex (MSM)	7376	(73%)	N/A	()	0	(0%)	7376	(67%)		
Injecting Drug Use (IDU)	7370	(7%)	279	(30%)	0	(0%)	1011	(9%)		
MSM and IDU	1094	(11%)	N/A	(3070)	0	(0%)	1094	(10%)		
Transfusion/Transplant	73	(1%)	49	(5%)	0	(0%)	122	(1%)		
Hemophilia	82	(1%)	4	(0%)	4	(13%)	90	(1%)		
Heterosexual Contact ⁶	261	(3%)	459	(50%)	0	(0%)	720	(7%)		
Mother at Risk for HIV	0	(0%)	0	(0%)	28	(88%)	28	(0%)		
No Identified Risk ⁷ /Other	443	(4%)	133	(14%)	0	(0%)	576	(5%)		
Total	10061	(100%)	924	(100%)	32	(100%)	11017	(100%)		

¹ Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

⁶ Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.

⁷ No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

¹⁰ Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State HIV/AIDS Surveillance Report - 03/31/2004 Washington State Department of Health

Table 5. WA STATE HIV1 AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE8 AT DIAGNOSIS

		CASE	S DIAGN	<u>OSED</u>			<u>DEA</u>	THS			PRES	UMED L	<u>IVING</u>	1
	H	IV^1	Al	DS	HIV/AIDS	F	HV ¹	Α	IDS	H	IV^1	Α	IDS	HIV/AIDS
	No.	(%)	No.	(%)	TOTAL	No.	(%)	No.	(%)	No.	(%)	No.	(%)	TOTAL
REGION 1	155	(4.2%)	612	(5.6%)	767	9	(6.7%)	321	(5.4%)	146	(4.1%)	291	(5.7%)	437
ADAMS CO.	1	(0.0%)	5	(0.0%)	6	0	(0.0%)	1	(0.0%)	1	(0.0%)	4	(0.1%)	5
ASOTIN CO.	3	(0.1%)	14	(0.1%)	17	1	(0.7%)	6	(0.1%)	2	(0.1%)	8	(0.2%)	10
COLUMBIA CO.	1	(0.0%)	4	(0.0%)	5	0	(0.0%)	3	(0.1%)	1	(0.0%)	1	(0.0%)	2
FERRY CO.	0	(0.0%)	7	(0.1%)	7	0	(0.0%)	6	(0.1%)	0	(0.0%)	1	(0.0%)	1
GARFIELD CO.	0	(0.0%)	0	(0.0%)	0	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0
LINCOLN CO.	0	(0.0%)	4	(0.0%)	4	0	(0.0%)	2	(0.0%)	0	(0.0%)	2	(0.0%)	2
OKANOGAN CO.	7	(0.2%)	23	(0.2%)	30	0	(0.0%)	8	(0.1%)	7	(0.2%)	15	(0.3%)	22
PEND OREILLE CO.	1	(0.0%)	8	(0.1%)	9	0	(0.0%)	5	(0.1%)	1	(0.0%)	3	(0.1%)	4
SPOKANE CO.	130	(3.5%)	456	(4.1%)	586	7	(5.2%)	248	(4.2%)	123	(3.5%)	208	(4.1%)	331
STEVENS CO.	4	(0.1%)	23	(0.2%)	27	0	(0.0%)	8	(0.1%)	4	(0.1%)	15	(0.3%)	19
WALLA WALLA CO.	6	(0.2%)	58	(0.5%)	64	1	(0.7%)	30	(0.5%)	5	(0.1%)	28	(0.6%)	33
WHITMAN CO.	2	(0.1%)	10	(0.1%)	12	0	(0.0%)	4	(0.1%)	2	(0.1%)	6	(0.1%)	8
		, ,		, ,			, ,		,		,		,	
REGION 2	122	(3.3%)	362	(3.3%)	484	6	(4.5%)	182	(3.1%)	116	(3.3%)	180	(3.5%)	296
BENTON CO.	21	(0.6%)	78	(0.7%)	99	1	(0.7%)	34	(0.6%)	20	(0.6%)	44	(0.9%)	64
CHELAN CO.	12	(0.3%)	34	(0.3%)	46	0	(0.0%)	21	(0.4%)	12	(0.3%)	13	(0.3%)	25
DOUGLAS CO.	2	(0.1%)	2	(0.0%)	4	0	(0.0%)	2	(0.0%)	2	(0.1%)	0	(0.0%)	2
FRANKLIN CO.	19	(0.5%)	39	(0.4%)	58	1	(0.7%)	12	(0.2%)	18	(0.5%)	27	(0.5%)	45
GRANT CO.	8	(0.2%)	29	(0.3%)	37	1	(0.7%)	21	(0.4%)	7	(0.2%)	8	(0.2%)	15
KITTITAS CO.	3	(0.1%)	15	(0.1%)	18	0	(0.0%)	9	(0.2%)	3	(0.1%)	6	(0.1%)	9
KLICKITAT CO.	5	(0.1%)	11	(0.1%)	16	0	(0.0%)	8	(0.1%)	5	(0.1%)	3	(0.1%)	8
YAKIMA CO.	52	(1.4%)	154	(1.4%)	206	3	(2.2%)	75	(1.3%)	49	(1.4%)	79	(1.6%)	128
REGION 3	285	(7.7%)	864	(7.8%)	1,149	13	(9.7%)	444	(7.5%)	272	(7.6%)	420	(8.3%)	692
ISLAND CO.	16	(0.4%)	59	(0.5%)	75	1	(0.7%)	35	(0.6%)	15	(0.4%)	24	(0.5%)	39
SAN JUAN CO.	6	(0.2%)	18	(0.2%)	24	o	(0.0%)	10	(0.2%)	6	(0.2%)	8	(0.2%)	14
SKAGIT CO.	22	(0.6%)	52	(0.5%)	74	2	(1.5%)	27	(0.5%)	20	(0.6%)	25	(0.5%)	45
SNOHOMISH CO.	202	(5.5%)	583	(5.3%)	785	8	(6.0%)	295	(5.0%)	194	(5.5%)	288	(5.7%)	482
WHATCOM CO.	39	(1.1%)	152	(1.4%)	191	2	(1.5%)	77	(1.3%)	37	(1.0%)	75	(1.5%)	112
		. ,		. ,			. ,		, ,		. ,		, ,	
REGION 5	412	(11.2%)	1,172	(10.6%)	1,584	24	(17.9%)	631	(10.6%)	388	(10.9%)	541	(10.7%)	929
KITSAP CO.	67	(1.8%)	196	(1.8%)	263	1	(0.7%)	106	(1.8%)	66	(1.9%)	90	(1.8%)	156
PIERCE CO.	345	(9.3%)	976	(8.9%)	1,321	23	(17.2%)	525	(8.8%)	322	(9.0%)	451	(8.9%)	773
REGION 6	281	(7.6%)	923	(8.4%)	1,204	12	(9.0%)	454	(7.6%)	269	(7.6%)	469	(9.2%)	738
CLALLAM CO.	16	(0.4%)	51	(0.5%)	67	2	(1.5%)	28	(0.5%)	14	(0.4%)	23	(0.5%)	37
CLARK CO.	125	(3.4%)	406	(3.7%)	531	2	(1.5%)	197	(3.3%)	123	(3.5%)	209	(4.1%)	332
COWLITZ CO.	29	(0.8%)	90	(0.8%)	119	1	(0.7%)	50	(0.8%)	28	(0.8%)	40	(0.8%)	68
GRAYS HARBOR CO.	11	(0.3%)	48	(0.4%)	59	1	(0.7%)	29	(0.5%)	10	(0.3%)	19	(0.4%)	29
JEFFERSON CO.	7	(0.2%)	24	(0.2%)	31	3	(2.2%)	14	(0.2%)	4	(0.1%)	10	(0.2%)	14
LEWIS CO.	9	(0.2%)	40	(0.4%)	49	1	(0.7%)	26	(0.4%)	8	(0.2%)	14	(0.3%)	22
MASON CO.	19	(0.5%)	72	(0.7%)	91	0	(0.0%)	20	(0.3%)	19	(0.5%)	52	(1.0%)	71
PACIFIC CO.	7	(0.2%)	17	(0.2%)	24	0	(0.0%)	11	(0.2%)	7	(0.2%)	6	(0.1%)	13
SKAMANIA CO.	0	(0.0%)	7	(0.1%)	7	0	(0.0%)	5	(0.1%)	0	(0.0%)	2	(0.0%)	2
THURSTON CO.	57	(1.5%)	166	(1.5%)	223	2	(1.5%)	74	(1.2%)	55	(1.5%)	92	(1.8%)	147
WAHKIAKUM CO.	1	(0.0%)	2	(0.0%)	3	0	(0.0%)	0	(0.0%)	1	(0.0%)	2	(0.0%)	3
SUBTOTAL	1,255	(34.0%)	3,933	(35.7%)	5,188	64	(47.8%)	2,032	(34.2%)	1,191	(33.5%)	1,901	(37.5%)	3,092
REGION 4 (KING CO.)	2,438	(66.0%)	7,084	(64.3%)	9,522	70	(52.2%)	3,911	(65.8%)	2,368	(66.5%)	3,173	(62.5%)	5,541
STATE TOTAL	3,693	(100%)	11,017	(100%)	14,710	134	(100%)	5,943	(100%)	3,559	(100%)	5,074	(100%)	8,633

¹ Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

⁸ County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

Washington State HIV/AIDS Surveillance Report - 03/31/2004

Table 6. WASHINGTON STATE HIV1 CASES, YEAR OF DIAGNOSIS3 BY GENDER, RACE/ETHNICITY10, EXPOSURE CATEGORY, AND AIDSNET REGION OF RESIDENCE9 AT DIAGNOSIS

	198	1982-1989		1990-1997		1998-Current ⁵		ulative	2	2000	2	.001	2002		2003 ⁵		2004 YTD⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Gender																•		
Male	401	(92%)	1161	(84%)	1592	(85%)	3154	(85%)	290	(81%)	279	(87%)	274	(86%)	285	(85%)	29	(83%)
Female	35	(8%)	220	(16%)	284	(15%)	539	(15%)	66	(19%)	43	(13%)	46	(14%)	50	(15%)	6	(17%)
Total	436	(100%)	1381	(100%)	1876	(100%)	3693	(100%)	356	(100%)	322	(100%)	320	(100%)	335	(100%)	35	(100%)
Race/Ethnicity10																		
White, not Hispanic	372	(85%)	1071	(78%)	1266	(67%)	2709	(73%)	230	(65%)	217	(67%)	206	(64%)	219	(65%)	24	(69%)
Black, not Hispanic	41	`(9%)	167	(12%)	308	(16%)	516	(14%)	67	(19%)	52	(16%)	67	(21%)	56	(17%)	2	`(6%)
Hispanic (All Races)	11	(3%)	88	(6%)	181	(10%)	280	(8%)	37	(10%)	33	(10%)	28	(9%)	36	(11%)	3	(9%)
Asian/Pacific Islander	0	(0%)	1	(0%)	6	(0%)	7	(0%)	2	(1%)	2	(1%)	0	(0%)	0	(0%)	0	(0%)
Asian	3	(1%)	25	(2%)	52	(3%)	80	(2%)	10	(3%)	10	(3%)	7	(2%)	9	(3%)	2	(6%)
Hawaiian/Pacific Islander	1	(0%)	0	(0%)	5	(0%)	6	(0%)	1	(0%)	0	(0%)	0	(0%)	3	(1%)	0	(0%)
Native American/Alaskan	6	(1%)	20	(1%)	34	(2%)	60	(2%)	5	(1%)	5	(2%)	5	(2%)	10	(3%)	3	(9%)
Multi-race	0	(0%)	1	(0%)	6	(0%)	7	(0%)	0	(0%)	0	(0%)	4	(1%)	1	(0%)	1	(3%)
Unknown	2	(0%)	8	(1%)	18	(1%)	28	(1%)	4	(1%)	3	(1%)	3	(1%)	1	(0%)	0	(0%)
Total	436	(100%)	1381	(100%)	1876	(100%)	3693	(100%)	356	(100%)	322	(100%)	320	(100%)	335	(100%)	35	(100%)
Exposure Category																		
Male/male sex (MSM)	297	(68%)	846	(61%)	1163	(62%)	2306	(62%)	199	(56%)	189	(59%)	201	(63%)	210	(63%)	24	(69%)
Injecting Drug Use (IDU)	47	(11%)	142	(10%)	177	(9%)	366	(10%)	48	(13%)	28	(9%)	28	(9%)	26	(8%)	2	(6%)
MSM and IDU	51	(12%)	120	(9%)	141	(8%)	312	(8%)	25	(7%)	26	(8%)	29	(9%)	25	(7%)	1	(3%)
Transfusion/Transplant	3	(1%)	7	(1%)	4	(0%)	14	(0%)	1	(0%)	2	(1%)	0	(0%)	0	(0%)	0	(0%)
Hemophilia	9	(2%)	4	(0%)	1	(0%)	14	(0%)	1	(0%)	0	(0%)	0	(0%)	0	(0%)	0	(0%)
Heterosexual Contact ⁶	12	(3%)	139	(10%)	216	(12%)	367	(10%)	46	(13%)	39	(12%)	41	(13%)	40	(12%)	5	(14%)
Mother at Risk for HIV	3	(1%)	25	(2%)	6	(0%)	34	(1%)	2	(1%)	0	(0%)	0	(0%)	1	(0%)	0	(0%)
No Identified Risk ⁷ /Other	14	(3%)	98	(7%)	168	(9%)	280	(8%)	34	(10%)	38	(12%)	21	(7%)	33	(10%)	3	(9%)
Total	436	(100%)	1381	(100%)	1876	(100%)	3693	(100%)	356	(100%)	322	(100%)	320	(100%)	335	(100%)	35	(100%)
AIDSNET Region																		
Region 1	22	(5%)	55	(4%)	78	(4%)	155	(4%)	17	(5%)	15	(5%)	15	(5%)	12	(4%)	1	(3%)
Region 2	11	(3%)	39	(3%)	72	(4%)	122	(3%)	10	(3%)	10	(3%)	16	(5%)	13	(4%)	3	(9%)
Region 3	32	(7%)	127	(9%)	126	(7%)	285	(8%)	21	(6%)	23	(7%)	16	(5%)	24	(7%)	3	(9%)
Region 5	41	(9%)	169	(12%)	202	(11%)	412	(11%)	46	(13%)	27	(8%)	36	(11%)	41	(12%)	1	(3%)
Region 6	30	(7%)	114	(8%)	137	(7%)	281	(8%)	16	(4%)	30	(9%)	24	(8%)	28	(8%)	5	(14%)
Subtotal	136	(31%)	504	(36%)	615	(33%)	1255	(34%)	110	(31%)	105	(33%)	107	(33%)	118	(35%)	13	(37%)
Region 4 (King Co.)	300	(69%)	877	(64%)	1261	(67%)	2438	(66%)	246	(69%)	217	(67%)	213	(67%)	217	(65%)	22	(63%)
Total	436	(100%)	1381	(100%)	1876	(100%)	3693	(100%)	356	(100%)	322	(100%)	320	(100%)	335	(100%)	35	(100%)
	•						-					· · · · · ·						

- 1 This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.
- 3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.
- 5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.
- 6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.
- 7 No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.
- 9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.
- 10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multirace" category.

Washington State HIV/AIDS Surveillance Report - 03/31/2004

Table 7. WASHINGTON STATE AIDS CASES, YEAR OF DIAGNOSIS BY GENDER, RACE/ETHNICITY10, EXPOSURE CATEGORY, AND AIDSNET REGION OF RESIDENCE AT DIAGNOSIS

		2-1989		0-1997		Current ⁵		ulative		000	_	001		2002		003 ⁵		4 YTD ⁵
Gender	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<u>Gender</u> Male	1915	(97%)	5957	(92%)	2204	(86%)	10076	(91%)	387	(86%)	365	(88%)	364	(83%)	355	(84%)	41	(76%)
Female	64	(3%)	595 <i>1</i> 515	(8%)	362	(14%)	941	(91%)	65	(14%)	365 49	(12%)	72	(03%) (17%)	69	(04%) (16%)	13	(24%)
Total	1979	(100%)	6472	(100%)	2566	(100%)	11017	(100%)	452	(100%)	414	(100%)	436	(100%)	424	(100%)	54	(100%)
Race/Ethnicity ¹⁰	1075	(10070)	0+12	(10070)	2000	(10070)	11017	(10070)	402	(10070)	717	(10070)	400	(10070)	727	(10070)	04	(10070)
White, not Hispanic	1733	(88%)	5140	(79%)	1714	(67%)	8587	(78%)	304	(67%)	273	(66%)	281	(64%)	275	(65%)	37	(69%)
Black, not Hispanic	132	(7%)	639	(10%)	424	(17%)	1195	(11%)	84	(19%)	75	(18%)	78	(18%)	66	(16%)	8	(15%)
		` ,		,		,		, ,	_	,		` ,	_	` ,		,	o 4	` ,
Hispanic (All Races)	78	(4%)	437	(7%)	285	(11%)	800	(7%)	45	(10%)	45	(11%)	47 4	(11%)	56 1	(13%)	4 0	(7%)
Asian/Pacific Islander	3	(0%)	32	(0%)	12	(0%)	47	(0%)	0	(0%)	3	(1%)	•	(1%)		(0%)	U	(0%)
Asian	11	(1%)	70	(1%)	41	(2%)	122	(1%)	3	(1%)	5	(1%)	12	(3%)	9	(2%)	1	(2%)
Hawaiian/Pacific Islander	5	(0%)	10	(0%)	10	(0%)	25	(0%)	3	(1%)	0	(0%)	2	(0%)	5	(1%)	0	(0%)
Native American/Alaskan	16	(1%)	124	(2%)	62	(2%)	202	(2%)	8	(2%)	11	(3%)	11	(3%)	9	(2%)	2	(4%)
Multi-race	1	(0%)	16	(0%)	8	(0%)	25	(0%)	2	(0%)	0	(0%)	0	(0%)	3	(1%)	2	(4%)
Unknown	0	(0%)	4	(0%)	10	(0%)	14	(0%)	3	(1%)	2	(0%)	1	(0%)	0	(0%)	0	(0%)
Total	1979	(100%)	6472	(100%)	2566	(100%)	11017	(100%)	452	(100%)	414	(100%)	436	(100%)	424	(100%)	54	(100%)
Exposure Category																		
Male/male sex (MSM)	1521	(77%)	4410	(68%)	1445	(56%)	7376	(67%)	258	(57%)	239	(58%)	234	(54%)	241	(57%)	30	(56%)
Injecting Drug Use (IDU)	86	(4%)	612	(9%)	313	(12%)	1011	(9%)	57	(13%)	45	(11%)	50	(11%)	48	(11%)	6	(11%)
MSM and IDU	236	(12%)	643	(10%)	215	(8%)	1094	(10%)	35	(8%)	38	`(9%)	39	(9%)	29	(7%)	1	(2%)
Transfusion/Transplant	47	(2%)	65	(1%)	10	(0%)	122	(1%)	3	(1%)	0	(0%)	1	(0%)	1	(0%)	0	(0%)
Hemophilia	30	(2%)	53	(1%)	7	(0%)	90	(1%)	3	(1%)	1	(0%)	0	(0%)	1	(0%)	0	(0%)
Heterosexual Contact ⁶	29	(1%)	386	(6%)	305	(12%)	720	(7%)	51	(11%)	52	(13%)	69	(16%)	53	(13%)	10	(19%)
Mother at Risk for HIV	8	(0%)	18	(0%)	2	(0%)	28	(0%)	2	(0%)	0	(0%)	0	(0%)	0	(0%)	0	(0%)
No Identified Risk ⁷ /Other	22	(1%)	285	(4%)	269	(10%)	576	(5%)	43	(10%)	39	(9%)	43	(10%)	51	(12%)	7	(13%)
Total	1979	(100%)	6472	(100%)	2566	(100%)	11017	(100%)	452	(100%)	414	(100%)	436	(100%)	424	(100%)	54	(100%)
AIDSNET Region		,,				((,,		,,		,,		,,		,,
Region 1	80	(4%)	367	(6%)	165	(6%)	612	(6%)	33	(7%)	21	(5%)	30	(7%)	27	(6%)	4	(7%)
Region 2	49	(2%)	203	(3%)	110	(4%)	362	(3%)	19	(4%)	18	(4%)	15	(3%)	22	(5%)	1	(2%)
Region 3	113	(6%)	534	(8%)	217	(8%)	864	(8%)	29	(6%)	31	(7%)	42	(10%)	39	(9%)	1	(2%)
Region 5	173	(9%)	679	(10%)	320	(12%)	1172	(11%)	72	(16%)	60	(14%)	40	(9%)	36	(8%)	7	(13%)
Region 6	111	(6%)	568	(9%)	244	(10%)	923	(8%)	34	(8%)	53	(13%)	50	(11%)	30	(7%)	8	(15%)
Subtotal	526	(27%)	2351	(36%)	1056	(41%)	3933	(36%)	187	(41%)	183	(44%)	177	(41%)	154	(36%)	21	(39%)
Region 4 (King Co.)	1453	(73%)	4121	(64%)	1510	(59%)	7084	(64%)	265	(59%)	231	(56%)	259	(59%)	270	(64%)	33	(61%)
Total	1979	(100%)	6472	(100%)	2566	(100%)	11017	(100%)	452	(100%)	414	(100%)	436	(100%)	424	(100%)	54	(100%)
		, , - /		, /		, /		, /		,				,		, /		, ,

- 3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.
- 5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.
- 6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.
- 7 No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.
- 9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.
- 10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multirace" category.